



## FOR IMMEDIATE RELEASE

For further editorial information: Ed Szykula – Kracoe Szykula & Townsend, Inc. PH 248-641-7500 – FAX 248-641-4779

Email: szykula@ksthip.com

Creform Corporation
P.O. Box 830
Greer, SC 29652-0830
800-839-8823
Fax 864-877-3863
Email: SCsales@creform.com
Online: www.creform.com

New Product Information

## CREFORM INTRODUCES NEW METAL JOINT SETS FOR 42 MM DIA. PIPE

Creform Corporation (<a href="www.creform.com">www.creform.com</a>), manufacturer of adaptive material handling systems such as workstations, flow racks, carts and AGVs has introduced a new series of structural metal joint sets for its unique 42 mm dia. pipe in a variety of shapes and configurations.

The metal joints, designated the LJ and the LEJ series are complete joint assemblies for connecting 42 mm pipe most commonly used to assemble Creform heavyduty structures such as the aforementioned workstations, flow racks and carts.

The metal joint sets are either nickel plated for anti-static applications or e-coated black for standard applications. They are available as LJ (42mm/42mm) and LEJ (42mm/28mm) joint sets.

When choosing the appropriate joint, consideration is given to configuration, flexibility, strength, environment and cost factors of the structure. Many joints are well suited for industrial and logistic applications because of their durability, flexibility and reusability.

Creform standard 42mm metal joints are made of cold-rolled, 10 gage steel. Components are joined together with special high strength socket head cap screw and nuts. The joints are designed to hold the nut so only a simple hex head wrench is required for assembly or disassembly. Joint assembly is easy as no special technical skills are necessary to build a structure.

The Creform System is used to create an array of material handling and efficiency enhancing devices and is a proven component in continuous improvement and Lean Manufacturing programs.

## **CREFORM INTRODUCES...2**/ with photo and caption

Embedded photos are for reference only. Hi-res photos are attached as separate files. Two orientations are presented for your convenience.



Caption CRE-543A: New Creform LJ-11A for 42mm (left) and the LEJ-6A for 42mm/28mm.



Caption CRE-543A: New Creform LJ-11A for 42mm (top) and the LEJ-6A for 42mm/28mm.